

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	52	@ad< "20040203" and assembl\$3 near3 (identifier ID) with (access \$3 authoriz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:56
L3	125	"4,430,699"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:59
L4	4	"6614782"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:03
L5	162	@ad< "20040203" and (identifier identifying ID) with assembl\$3 with (access authoriz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:10
L6	46	@ad< "20040203" and (identifier identifying ID) near3 assembl\$3 with (access authoriz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:10
L7	72	@ad< "20040203" and (identifier identifying ID) near3 assembl\$3 with (access\$3 authoriz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:11
L8	0	@ad< "20040203" and (identifier identifying ID) near3 assembl\$3 with (access\$3 authoriz\$5) and ".net"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:11
L9	18	@ad< "20040203" and (identifier identifying ID) near3 assembl\$3 with (access\$3 authoriz\$5) and net	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:11
L10	1340	@ad< "20040203" and (identifier identifying ID) near3 file with (access\$3 authoriz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:12

L11	193	@ad< "20040203" and (identifier identifying ID) near3 file with (access\$3 authoriz\$5) and ("713". clas "726" clas )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:13
L12	2	"7266677"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:30
L13	1556	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:16
S1	2	"20050172133"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 11:11
S2	8	cross adj assembly near3 call\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 11:21
S3	9350	assembly near3 call\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 11:22
S4	7062	assembly near3 call\$3 and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 11:22
S5	14	assembly near3 call\$3 same (access\$3) same (identification ID) and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 11:23
S6	2	assembly near3 call\$3 same (access\$3) same (identification ID) and @ad< "20040203" and (code near2 manag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 11:30
S7	7230	call\$3 same (access\$3) with (identification ID) and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 12:03

S8	4553	call\$3 with (access\$3) with (identification ID) and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 12:03
S9	10	call\$3 with (access\$3) with (identification ID) same intermediary and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 12:03
S10	837	call\$3 with (access\$3) with (identification ID) same switch\$3 and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 12:54
S11	466	call\$3 with (access\$3) with (identification ID) with switch\$3 and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 12:54
S12	19	call\$3 with (access\$3) with (identification ID) same assembly and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 12:56
S13	27859476	intermediary with (access \$3) with user with (identification ID) @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:54
S14	19	intermediary with (access \$3) with user with (identification ID) and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:55
S15	3	"20030041267"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:04
S16	0	intermediary with (access \$3) with user with (identification ID) same assembly and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:09
S17	0	intermediary with (access \$3) with (identification ID) same assembly and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:09

S18	583	(access\$3) with (identification ID) same assembly and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:09
S19	216	(access\$3) with (identification ID) with assembly and @ad< "20040203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:09
S20	19	(access\$3) with (identification ID) with assembly and @ad< "20040203" and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:10
S21	39	(access\$3) with (identification ID) same assembly and @ad< "20040203" and (virtual adj machine) vm vmware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:10
S22	30	(access\$3) with (identification ID) same assembly and @ad< "20040203" and (virtual adj machine) vm vmware) not cancer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:11
S23	108	@ad< "20040203" and (manag\$3 near2 code) same (VMware VM (virtual adj machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:39
S24	28	@ad< "20040203" and (manag\$3 near2 code) same (VMware VM (virtual adj machine)) and (CLR (common adj language adj runtime))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:40
S25	0	@ad< "20040203" and (manag\$3 near2 code) same (VMware VM (virtual adj machine)) same (assembly assemblies) and (CLR (common adj language adj runtime))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:41
S26	2	@ad< "20040203" and (manag\$3 near2 code) same (VMware VM (virtual adj machine)) same (assembly assemblies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:41

S27	42	@ad< "20040203" and (application near2 domain) with different same access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 11:41
S28	23	@ad< "20040203" and (application adj domain) with different same access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 11:43
S29	0	@ad< "20040203" and (application adj domain) with different same access \$3 with prevent\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 11:44
S30	2	"7266677"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:23
S31	537	@ad< "20040203" and access with assembly with previous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:48
S32	7	@ad< "20040203" and access with assembly with previous\$2 same (network security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:49
S33	5654	@ad< "20040203" and access with previous\$2 same (network security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:50
S34	7	@ad< "20040203" and access\$3 with previous\$2 with assembly same (network )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:50
S35	12	@ad< "20040203" and access\$3 with previous\$2 with assembly same (network security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:50
S36	75	@ad< "20040203" and access\$3 with (second subsequent) with assembly same (network security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:53

S37	27859634	@ad< "20040203" "726". clas. and (authenticat\$3 authoriz\$3) with (subsequent again) with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:55
S38	208	@ad< "20040203" and "726".clas. and (authenticat\$3 authoriz\$3) with (subsequent again) with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:55
S39	15	@ad< "20040203" and "726".clas. and (authenticat\$3 authoriz\$3) with (subsequent again) with access\$3 same cookie	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:58
S40	59	@ad< "20040203" and "726".clas. and (identification id) with accurate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 14:55
S41	5	@ad< "20040203" and (application adj domain) same compil\$3 same meta \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:54
S42	93	@ad< "20040203" and (application adj domain) same meta\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:55
S43	7	@ad< "20040203" and (application adj domain) with compil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:56
S44	0	@ad< "20040203" and (application adj domain) with meta\$4 same compil \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:58
S45	29	@ad< "20040203" and (application adj domain) same compil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 16:06
S46	29	@ad< "20040203" and (application adj domain) same compil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 16:07

S47	1446	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 12:26
S48	4	"6614782"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:42
S49	1552	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 15:26
S50	41	@ad<"20040203" and virtual near2 machine and call\$3 near2 assembly	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:27
S51	8	@ad<"20040203" and virtual near2 machine and call\$3 near2 assembly and manag\$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 14:41
S52	149	@ad<"20040203" and virtual near2 machine and manag\$3 near2 code same access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 14:54
S53	27	@ad<"20040203" and virtual near2 machine and manag\$3 near2 code same access\$3 same call \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 14:55
S54	18	@ad<"20040203" and virtual near2 machine and manag\$3 near2 code same assembly	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 14:57
S55	17	@ad<"20040203" and manag\$3 near2 code same assembly same access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:05
S56	40	@ad<"20040203" and (id identifier identification) with assembly and manag \$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:12

S57	7	@ad< "20040203" and (id identifier identification) with assembly same manag\$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:13
S58	40	@ad< "20040203" and (id identifier identification) with assembly and manag \$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:15
S59	45	@ad< "20040203" and (id identifier identification) near3 (file program) same manag\$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:17
S60	0	@ad< "20040203" and (id identifier identification) near3 (file program) same manag\$3 near2 code same assembly	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:18
S61	45	@ad< "20040203" and (id identifier identification) near3 (file program aseembly) same manag\$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:18
S62	5548	@ad< "20040203" and (id identifier identification) with access\$3 with (file assembly)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:32
S63	136	@ad< "20040203" and (id identifier identification) with access\$3 with (file assembly) and manag\$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:32
S64	95	@ad< "20040203" and (id identifier ) with access\$3 with (file assembly) and manag\$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:33
S65	7	@ad< "20040203" and (id identifier) with access\$3 with (file assembly) and manag\$3 near2 code and virtual adj machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:33
S66	95	@ad< "20040203" and (id identifier) with access\$3 with (file assembly) and manag\$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:36



S67	4	@ad< "20040203" and (id identifier) with access\$3 with (file assembly) same manag\$3 near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:36
S68	13	@ad< "20040203" and (id identifier) with access\$3 with (file assembly) and managed near2 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:38
S69	3	@ad< "20040203" and (id identifier) with access\$3 with (file assembly) and managed adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:39
S70	228	@ad< "20040203" and (manag\$3 near2 code) and assembl\$3 with call\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:23
S71	98	@ad< "20040203" and (manag\$3 near2 code) and assembl\$3 near2 call \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:24
S72	24	@ad< "20040203" and (manag\$3 near2 code) and assembl\$3 near2 call \$3 and ( (ID identifier pointer) with assembl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:26
S73	2	"20050172133"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:29
S74	82	@ad< "20040203" and (manag\$3 near2 code) and assembl\$3 with (runtime run-time (run adj time) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:35

7/29/2008 5:17:57 PM

C:\Documents and Settings\jgee\My Documents\EAST\Workspaces\10771653.wsp